

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S134	50	("370"/\$.CCLS.) AND ((tunnel\$6) SAME3 (protocol NEAR (convert\$4 OR translat\$4))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 13:26
S136	25	("370"/\$.CCLS.) AND (((end\$4 OR (other ADJ2 side)) NEAR3 tunnel\$6) SAME (convert\$4 OR translat\$4)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 13:45
S138	38	("370"/\$.CCLS.) AND (((tunnel\$6) SAME3 (protocol NEAR (conversion))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 14:11
S139	936	("370"/\$.CCLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsualt\$4) OR (un ADJ2 encapsulat\$4) OR unencapsula\$4 OR (un ADJ2 capsualt\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu))) SAME (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 14:12

S140	44	("370"/\$.CQLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsualt\$4) OR (un ADJ2 encapsulat\$4) OR unencapsula\$4 OR (un ADJ2 capsualt\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu))) SAME (protocol NEAR3 (convert\$4 OR conversion))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 14:13
S141	95	("370"/\$.CQLS.) AND ((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsualt\$4) OR (un ADJ2 encapsulat\$4) OR unencapsula\$4 OR (un ADJ2 capsualt\$4) OR uncapsulat\$4) SAME (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 14:14
S142	19	("370"/\$.CQLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsualt\$4) OR (un ADJ2 encapsulat\$4) OR unencapsula\$4 OR (un ADJ2 capsualt\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu))) SAME tunnel\$6 SAME (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/07 14:16

S143	26	("370"/\$.CQLS.) AND (tunnel\$6 SAME3 (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME (convert\$4 OR conversion))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 14:27
S144	19	("370"/\$.CQLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME tunnel\$6 SAME (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 14:29
S146	19	("370"/\$.CQLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME tunnel\$6 SAME (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 14:36

S147	26	("370"/\$.CQLS.) AND (tunnel\$6 SAME3 (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME (convert\$4 OR conversion))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 14:37
S149	30	("370"/\$.CQLS.) AND ((((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME tunnel\$6) SAME3 (convert\$4 OR conversion)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 14:43
S151	20	("370"/\$.CQLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME tunnel\$6 SAME (translat\$6)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 15:20

S152	28	("370"/\$.CCLS.) AND (tunnel\$6 SAME3 (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME (translat\$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 15:26
S154	35	("370"/\$.CCLS.) AND (((deencapsulat\$4 OR (de ADJ2 encapsulat\$4) OR decapsulat\$4 OR (de ADJ2 capsulat\$4) OR (un ADJ2 encapsulat\$4) OR unencapsulat\$4 OR (un ADJ2 capsulat\$4) OR uncapsulat\$4) OR (extract \$4 NEAR3 (packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)))) SAME tunnel\$6) SAME3 (translat\$6)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/09 15:30
S156	66	("370"/\$.CCLS.) AND (((target OR destination) ADJ3 address\$4) SAME (no \$1 NEAR3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 14:14
S157	75	("370"/\$.CCLS.) AND (((target OR destination) NEAR3 address\$4) SAME (no\$1 NEAR3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 14:20

S159	108	("370"/\$.CCLS.) AND (((target OR destination) ADJ3 address\$4) SAME ((without OR whether OR weather OR wether) NEAR3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 14:21
S160	62	("370"/\$.CCLS.) AND (((target OR destination) ADJ3 address\$4) SAME ((without OR whether OR weather OR wether) ADJ2 (convert\$4 OR conversion OR translat\$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 14:22
S161	92	("370"/\$.CCLS.) AND (((target OR destination) ADJ3 address\$4) SAME ((without OR whether OR weather OR wether) ADJ3 (convert\$4 OR conversion OR translat\$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 14:22
S162	236	("370"/\$.CCLS.) AND ((protocol NEAR3 (convert \$4 OR conversion OR translat\$6)) SAME3 ((no\$1 OR without OR whether OR weather OR wether) ADJ3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:21
S163	182	("370"/\$.CCLS.) AND ((protocol NEAR3 (convert \$4 OR conversion OR translat\$6)) SAME ((no\$1 OR without OR whether OR weather OR wether) ADJ3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:23

S164	22	("370"/\$.CQLS.) AND ((protocol NEAR3 (convert \$4 OR conversion OR translat\$6)) SAME3 (((target OR destination) ADJ3 address\$4) SAME ((no\$1 OR without OR whether OR weather OR wether) ADJ3 (convert\$4 OR conversion OR translat \$6)))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:24
S165	100	("370"/\$.CQLS.) AND ((no \$1 OR whether OR weather OR wether) ADJ3 (protocol NEAR3 (convert \$4 OR conversion OR translat\$6)))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:40
S166	20	("370"/\$.CQLS.) AND ((whether OR weather OR wether) ADJ3 (protocol NEAR3 (convert\$4 OR conversion OR translat \$6))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:42
S167	45	("370"/\$.CQLS.) AND ((protocol NEAR3 (convert \$4 OR conversion OR translat\$6)) SAME3 (((whether OR weather OR wether) ADJ3 (convert\$4 OR conversion OR translat \$6)))) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/10 18:42
S170	16	("370"/\$.CQLS.) AND ((gateway OR (gate ADJ2 way)) SAME ((two OR three OR four OR five OR multiple OR plurality OR many OR several) ADJ3 (private OR soho) ADJ3 network)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/12 19:35
S172	11	("370"/\$.CQLS.) AND ((gateway OR (gate ADJ2 way)) SAME ((second OR third OR fourth OR fifth) ADJ3 (private OR soho OR vpn) ADJ3 network)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/12 19:40

S176	63	("370"/\$.CCLS.) AND (qsig) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/12 20:03
S180	147	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR3 ("h.323" OR sip OR qsig)) AND @ad<"20020905"	US- PGPUB; USPAT	OR	ON	2009/12/12 20:10

EAST Search History (Interference)

<This search history is empty>

12/13/2009 5:12:31 PM

**C:\Documents and Settings\jsmith1\My Documents\EAST\Workspaces\ap10_525_778.
wsp**